


# ALKALINE-MANGANESE DIOXIDE BATTERY



### Size: 9V (6LR61) PC1604



#### Dimensions shown are IEC standards

### **KEY FEATURES**

- Reliable Performance
- Excellent resistance to corrosion
- Designed to meet all major quality, safety and environmental standards:
  - o Safety: IEC 60086-5
- o ANSI C 18.1M, Part-2
- EU Battery Directive
- Quality: ISO 14001 and 9001, Duracell World Class Continuous Improvement Program

### TYPICAL APPLICATIONS

- Carbon Monoxide Detectors
- Smoke Detectors
- Handicap Door Openers
- Medical Devices
- Microphones



•	Nominal capacity (2 mA Cont., 5V cut-off)	692 mAh
•	Typical Voltage (at + 20 °C)	9 V

AC Impedance @ 1kHz 1,692 mΩ

### PHYSICAL CHARACTERISTICS

•	Typical weight	48.7 g (1.6 oz)
•	Typical volume	22.8 cm <sup>3</sup> (1.4 in <sup>3</sup> )
	Terminals	Miniature snap

**OPERATING & STORAGE CONDITIONS** 

•	Operating temperature range	-20°C to 54°C (-4°F to 130°F)
•	Recommended Storage (storage area should be clean, cool, dry and ventilated)	5°C to 30°C (41°F to 86° F)





PROFESSIONAL BATTERIES Procell Professional batteries Berkshire Corporate Park Phone: 1-800-544-5454 (Toll-free) www.procell.com Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

This data is subject to change. Performance information is typical. Contact Duracell for the latest information.


# PROCELL® PROFESSIONAL BATTERIES

#### TYPICAL PERFORMANCE









#### **Constant Current - 75mA**





PROFESSIONAL BATTERIES Procell Professional batteries Berkshire Corporate Park Phone: 1-800-544-5454 (Toll-free) www.procell.com Delivered capacity is dependent on the applied load, operating temperature and cut-off voltage. Please refer to the charts and discharge data shown for examples of the energy/service life that the battery will provide for various load conditions.

This data is subject to change. Performance information is typical. Contact Duracell for the latest information.

## Zn / MnO<sub>2</sub>